

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LSRLOCQTY 001	LOCQTY required when ACT is <CTX->ACT>"
"LSRLOCQTY 001	LOCQTY required"
"LSRLOCQTY 003	LOCQTY must be 2"
"LSRLOCQTY 003	LOCQTY must be 1"
"LSRLOCQTY 003	LOCQTY must be 4 when ACT is T"
"LSRLOCQTY 003	LOCQTY must be 2"
"LSRISO 001	ISO required when APTCON is not populated and LNA is N"
"LSRISO 001	ISO required when ACT is W, V or C"
"LSRISO 001	ISO required when ACT is N, W, V, Z, C, or T"
"LSRISO 001	ISO required"
"LSRISRID 001	ISRID required"
"LSRISRID 900	ISRID required when PON not populated"
"LSRISRIDQTY003	ISRIDQTY must be 1 or more"
"LSRLST 900	LST required when ACT is V or C"
"LSRLST 900	LST required when ACT is N, V or C"
"LSRNAN 002	NAN invalid format"
"LSRNAN 003	NAN only allowed when ACT is V or Z"
"LSRNAN 003	NAN only allowed when ACT is V"
"LSRNC 900	NC must be 4 characters"
"LSRNC 900	NC required when ACT is N, V, C or T"
"LSRNC 900	NC required when ACT is W, V, Z, C or T"
"LSRNC 900	NC required when ACT is N, V, C, T or M"
"LSRNC 900	NC required when ACT is C"
"LSRNC 900	NC must be 4 characters"
"LSRNC 900	NC required when ACT is V or Z"
"LSRNC 900	NC required when ACT is N, V, Z or C"
"LSRNC 900	NC required when ACT is N or T"
"LSRNC 900	NC required when ACT is V"
"LSRNC 900	NC required when ACT is N, V or Z"
"LSRNC 900	NC required when ACT is N or Z"
"LSRNC 900	NC required when ACT is N, V, C or T"
"LSRNCI 900	NCI required when NC is populated"
"LSRNCI 900	NCI required when ACT is N, V or Z"
"LSRNCI 900	NCI must be at least 5 characters"
"LSRNCI 900	NCI required when ACT is N, V, C, T or M"
"LSRNCI 900	NCI required when ACT is C"
"LSRNCI 900	NCI required when ACT is W, V, Z, C or T"
"LSRNCI 900	NCI required when ACT is V or Z"
"LSRNCI 900	NCI required when ACT is N, V, Z or C"
"LSRNCI 900	NCI required when ACT is N or T"
"LSRNCI 900	NCI required when ACT is N, C or M"
"LSRNCI 900	NCI required when ACT is V"
"LSRNCM 900	NC required when ACT is N, C or M"
"LSRORD 003	Order Number must be 9 or 10 alphanumeric characters"
"LSRPENDINGO003	PENDINGORDER must be Y or N"
"LSRPG OF 002	PG OF required"
"LSRPG OF 003	PG OF must be numeric"
"LSRPON 001	PON required"
"LSRPON 900	Missing LSR ID or CCNA/PON"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LSRPORTTYP 001	PORTTYP required"
"LSRPORTTYP 003	PORTTYP first character must be L and PORTTYP second character must be D"
"LSRPORTTYP 003	PORTTYP first character must be L and PORTTYP second character must be A"
"LSRREQTYP 001	REQTYP required"
"LSRREQTYP 003	REQTYP second character must be A or B"
"LSRREQTYP 003	REQTYP second character must be B"
"LSRRPON 900	RPON required when PG half of PG_OF is greater than 01"
"LSRRPON 900	RPON required for this product when ACT is N, V, Z, W, D or T"
"LSRRPON 900	RPON required when PG half of PG_OF is greater than 01"
"LSRRPON 900	The first LSR in the series would have a blank RPON."
"LSRRTR 001	RTR required"
"LSRRTR 003	RTR must be C"
"LSRRTR 003	RTR must be C, D or X"
"LSRRTR 003	RTR must be C or D"
"LSRRTR 900	RTR must be C when ACT is D"
"LSRSCA 003	SCA must be Y"
"LSRSCA 900	SCA not allowed for Intra-Building Cable orders"
"LSRSCA 999	Error Fetching rows from NC table"
"LSRSECNCI 900	SEC NCI must be at least 5 characters"
"LSRSECNCI 900	SECNCI required when ACT is N, V, C or T"
"LSRSECNCI 900	SECNCI required when ACT is C"
"LSRSECNCI 900	SECNCI required when ACT is V or Z"
"LSRSECNCI 900	SECNCI required when ACT is N or T"
"LSRSECNCI 900	SECNCI required when ACT is N, C or M"
"LSRSECNCI 900	SECNCI required when ACT is N, V, C, T or M"
"LSRSECNCI 900	SECNCI required when ACT is V"
"LSRSUP 003	SUP must be 1, 2 or 3"
"LSRSUP 003	SUP must be populated and valid for supplemental requests"
"LSRTEST 001	TEST required"
"LSRTEST 003	TEST must be B or N when CHC is Y"
"LSRTEST 003	TEST must be A, I or N when CHC is N or blank"
"LSRTEST 003	TEST must be B or N when CHC is Y"
"LSRTEST 003	TEST must be A or N when CHC is N or blank"
"LSRTEST 003	TEST must be A, B or N"
"LSRTL 002	TLI invalid format"
"LSRTL 900	TLI required when ACT is N, V, Z, C or T and HNTYP is 4"
"LSRTOS 001	TOS required"
"LSRTOS 001	TOS second char must be C or L"
"LSRTOS 003	TOS first char must be 1, 2, 3, 4"
"LSRTOS 003	TOS second char must be A or B"
"LSRTOS 003	TOS first char must be 4"
"LSRTOS 003	TOS first char must be 1 or 2 when product is Qwest DSL"
"LSRTOS 003	TOS second char must be M"
"LSRTOS 003	TOS third char must be F"
"LSRTOS 003	TOS second char must be O"
"LSRTOS 003	TOS second char must be P"
"LSRTOS 003	TOS first char must be 1, 2, 3"
"LSRTOS 003	TOS first char must be 1, 2 or 3 when product is SHARED LOOP"
"LSRTOS 003	TOS second char must be R"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*LSRTOS 003	TOS third and fourth chars not allowed"
*LSRTOS 003	TOS first char must be 1, 2 or 3 when product is LINE SPLITTING"
*LSRTOS 003	TOS second char must be S"
*LSRTOS 003	TOS first char must be 1, 2 or 3 when product is LOOP SPLITTING"
*LSRTOS 003	TOS second char must be N"
*LSRTOS 003	TOS third and fourth chars not allowed"
*LSRTOS 003	TOS first char must be 1 or 3 when product is PRIVATE LINE"
*LSRTOS 003	TOS second and third chars not allowed"
*LSRTOS 003	TOS second char must be H"
*LSRTOS 003	TOS third char must be M or F"
*LSRTOS 003	TOS fourth char must be F"
*LSRTOS 003	TOS second char must be E"
*LSRTOS 003	TOS third char must be F"
*LSRTOS 003	TOS first char cannot be 2 for this product"
*LSRTOS 003	TOS second char must be J"
*LSRTOS 003	TOS first char must be 1 or 3 when product is RESALE FRAME RELAY"
*LSRTOS 003	TOS first char must be 1 or 3 when product is PRISDN"
*LSRTOS 003	TOS second char must be K"
*LSRTOS 003	TOS third char must be M,F or G"
*LSRTOS 003	TOS fourth char must be blank or F"
*LSRTOS 003	TOS first char must be 1 or 3"
*LSRTOS 003	TOS second char must be J"
*LSRTOS 003	TOS first char must be 1"
*LSRTOS 003	TOS second char must be J"
*LSRTOS 003	TOS third char must be M"
*LSRTOS 003	TOS fourth char is not applicable"
*LSRTOS 003	TOS second char must be D"
*LSRTOS 003	TOS third char must be M"
*LSRTOS 003	TOS fourth char is not applicable"
*LSRTOS 003	TOS third char must be M, F, or G"
*LSRTOS 003	TOS fourth char must be blank or F"
*LSRTOS 003	TOS second char must be K"
*LSRTOS 003	TOS does not match SCATEG on reserved TN"
*LSRTXACT 003	TXACT must be A"
*LSRTXNUM 001	TXNUM required"
*LSRTXTYP 003	TXTYP must be S"
*LSRVER 900	VER not allowed when LSRID populated"
*LSRVER 900	VER required when SUP populated"
*LSRVTA 001	VTA required"
*LSRVTA 003	VTA is required when the USOC is <USOC->USOC>"
*LSRVTA 003	VTA is required when the USOC is <PRSD->FEATURE[J].FEATURE>"
*LST 999	Error reading xml response from socket"
*LSTAGAUTH 003	AGAUTH must be Y or N"
*LSTAGAUTH 003	Unable to process request, no Letter of Authorization."
*LSTAUTHNM 900	AUTHNM equired when AGAUTH is Y"
*LSTCCNA 001	CCNA required"
*LSTD/TSENT 001	D/TSENT required"
*LSTD/TSENT 001	D/TSENT invalid format"
*LSTDATED 001	DATED required when AGAUTH is Y"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LSTDATED 002	DATED invalid format"
"LSTDIRIDL 900	DIRIDL is required when TXACT is B"
"LSTFCC 900	FCC is required when TXACT is B"
"LSTListing 003	There were no matches found for the entered telephone number"
"LSTListing 999	OSS Gateway: Timeout"
"LSTListing 999	OSS Gateway: Unable to execute Lss Inquiry"
"LSTListing 999	OSS Gateway: Invalid Request"
"LSTLTN 001	LTN required"
"LSTLTN 002	LTN invalid format"
"LSTLTN 003	No active listing record found."
"LSTNAMECONT900	NAMECONTROL is required when TXACT is B"
"LSTRECTYPE 900	RECTYPE is required when TXACT is B"
"LSTREF 900	REF is required when TXACT is B"
"LSTREGION 900	REGION is required when TXACT is B"
"LSTTXACT 003	TXACT must be A or B"
"LSTTXNUM 001	TXNUM required"
"LSTXTYP 003	XTYP must be T"
"LU 001	CCNA required"
"LU 001	TOS required"
"LU 001	CITY required"
"LU 001	STATE required"
"LU 001	NC required"
"LU 001	NCI required"
"LU 001	SECNCI required"
"LU 999	PSP not allowed to request LOOPUSOC"
"LU 999	Fetch Contract Area failed (<ERRORMESSAGE>)"
"LU 999	CPS Communication Error"
"LU 999	Fetch Contract Area failed (<ERRORMESSAGE>)"
"MP CABCONN 001	CABCONN required when SEARCHTYP is C"
"MP CABCONN 001	CABCONN cannot start with VCE"
"MP CABCONN 003	CABCONN must be in consistent format"
"MP CABCONNQ003	CABCONNQTY must be between 1 and 5 when SEARCHTYP is C"
"MP CCNA 001	CCNA required"
"MP D/TSENT 001	D/TSENT required"
"MP D/TSENT 002	D/TSENT invalid format"
"MP HICABCON001	HICABCONN required"
"MP HICABCON001	HICABCONN cannot start with VCE"
"MP HIPOTSSP001	HIPOTSSPLIT required when SEARCHTYP is S"
"MP HIPOTSSP001	HIPOTSSPLIT cannot start with VCE"
"MP LOCABCON001	LOCABCONN required"
"MP LOCABCON001	LOCABCONN cannot start with VCE"
"MP LOPOTSSP001	LOPOTSSPLIT required when SEARCHTYP is S"
"MP LOPOTSSP001	LOPOTSSPLIT cannot start with VCE"
"MP LSO 001	LSO required"
"MP POTSSPLI001	POTSSPLIT required when SEARCHTYP is P"
"MP POTSSPLI001	POTSSPLIT cannot start with VCE"
"MP POTSSPLI003	POTSSPLITLOC must be I or O"
"MP POTSSPLI003	POTSSPLITQTY must be between 1 and 5 when SEARCHTYP is P"
"MP POTSSPLI003	POTSSPLITTERS must be in consistent format"

Table 4: 10.0 INA BPL Errors

Error Code	Error Message
*MP SEARCHTY003	SEARCHTYP must be P, C, S, or R
*MP SEARCHTY003	SEARCHTYP must be C or R when POTSSPLITLOC is I
*MP SEARCHTY003	SEARCHTYP must be P or S when POTSSPLITLOC is O
*MP TXACT 003	TXACT must be A
*MP TXNUM 001	TXNUM required
*MP TXTYP 003	TXTYP must be M
*MSG<FIELDN>900	<FIELDNAME.NAME(>: Repeating section inconsistent count (<*(INT *)FIELDADDR>/<MAPLIST->COUNT>)*
*MSG<FIELDN>900	<FULLNAME>: Repeating section unallocated
*MSG<FIELDN>900	<FULLNAME>: Repeating section overflow
*MSG<FIELDN>900	<FULLNAME>: Section passed as field
*MSG<FIELDN>900	<FULLNAME>: Field passed as section
*MSG<FIELDN>900	<FULLNAME>: Repeating section overflow
*MSG<FIELDN>900	<FULLNAME>: Repeating section field before ctrl
*NC 999	Error Reading NC data
*NCI 999	Error Reading NCI data
*NOT 999	Error retrieving notice
*NOTHTMLIND 003	invalid HTMLIND
*NOTLSRID 001	LSRID required
*NOTNOTICETY001	NOTICETYPE required
*NOTNOTICETY003	invalid NOTICETYPE
*NP 001	NP form required
*NP 001	NP form required
*NP BA 003	BA must be A, D or Z
*NP BA 900	BA must be A when ACT is V or Z
*NP BLOCK 003	BLOCK must be A, B, C, D, E, F, G, H, K, M, N, or Q
*NP BLOCK 003	A combination of blocking values has been selected that cannot be used together
*NP BLOCK 003	A blocking value has been selected that must be used in combination with other blocking values
*NP BLOCK 900	BLOCK required when BA is A or D
*NP CFTN 002	CFTN invalid format
*NP CFTN 900	CFTN required when NPT is B
*NP FPI 003	FPI must be A or S
*NP LNA 900	LNA required for LNP when ACT is V or Z
*NP LNA 900	LNA required for INP when ACT is V, Z or C
*NP LNA 900	LNA must be D or V
*NP LNA 900	LNA must be V or D when ACT is V or Z
*NP LNA 900	LNA must be C or D when ACT is C
*NP LNUM 003	LNUM must be numeric
*NP LNUM 003	LNUM not in sequence
*NP LNUM 003	LNUM must start at 0001
*NP LNUM 900	LNUM required when ACT is V or Z
*NP LNUM 900	LNUM required when ACT is V, Z or C
*NP LPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
*NP NPQTY 900	NPQTY must be greater than 0 when ACT is V, Z or C
*NP NPQTY 900	NPQTY must be greater than 0 when ACT is V or Z
*NP NPT <C>	NPT must be A, B, or C

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*NP NPT <C>	NPT required when LNA is V and ACT is V, Z or C"
*NP NPT <C>	NPT must be blank when LNA is D"
*NP NPT 003	NPT must be A, B, C or D"
*NP NPT 900	NPT must be D when LNA is V"
*NP NPT 900	NPT must be blank when LNA is D"
*NP NPTG 900	NPTG required when NPT is A or C"
*NP PORTEDNB<C>	PORTEDNBR range of telephone numbers must be in ascending order"
*NP PORTEDNB002	PORTEDNBR invalid format"
*NP PORTEDNB003	PORTEDNBR <P->PORTEDNBR> contains a duplicate of an existing TN or range"
*NP PORTEDNB003	PORTEDNBR <P->PORTEDNBR> is a duplicate of an existing TN or range"
*NP PORTEDNB900	PORTEDNBR required when ACT is V or Z"
*NP PORTEDNB900	PORTEDNBR required when ACT is V, Z or C"
*NP RTI 900	RTI required when NPT is A or C"
*NP TCID 003	TCID must be numeric"
*NP TCID 900	TCID required when ACT is V or Z and TCOPT is S or T"
*NP TCID 900	TCID required when ACT is V, Z or C and TCOPT is S or T"
*NP TCID 999	TCID not allowed for ported number ranges"
*NP TCNAME 900	TCNAME required when ACT is V or Z and TCOPT is S or T"
*NP TCNAME 900	TCNAME required when ACT is V, Z or C and TCOPT is S or T"
*NP TCNAME 999	TCNAME not allowed for ported number ranges"
*NP TCOPT 003	TCOPT must be N, S or T"
*NP TCOPT 900	TCOPT required when ACT is V or Z and LNA is D"
*NP TCOPT 900	TCOPT required when ACT is V, Z or C and LNA is D"
*NP TCOPT 900	TCOPT must be N when LNA is D"
*NP TCMER 002	TCMER invalid format"
*NP TCMER 900	TCMER required when ACT is V or Z and TCOPT is S or T"
*NP TCMER 900	TCMER required when ACT is V, Z or C and TCOPT is S or T"
*NP TCTOPRI 002	TCTOPRI invalid format"
*NP TCTOPRI 900	TCTOPRI required when ACT is V or Z and TCOPT is S or T"
*NP TCTOPRI 900	TCTOPRI required when ACT is V, Z or C and TCOPT is S or T"
*NP TCTOPRI 999	TCTOPRI not allowed for ported number ranges"
*NP TDT 900	TDT must be Y when NPT is D"
*NP TNP 003	TNP must be numeric"
*NP TNP 003	TNP must be between 001 and 999"
*NP TNP 900	TNP required when ACT is V or Z and NPT is B"
*PEN 001	BTN required"
*PEN 001	ECCKT required"
*PEN 001	LSRID required"
*PEN 001	BTN required"
*PEN 001	BTN required"
*PEN 999	isysPendOrder failed (<ERRORMESSAGE>)"
*PEN 999	dsoiPendOrder failed (<ERRORMESSAGE>)"
*PEN 999	sosePendOrder failed (<ERRORMESSAGE>)"
*PL 999	PL Communication Error"
*PL 999	Error processing request"
*PL CCNA 001	CCNA required"
*PL INFOTYPE001	INFOTYPE required"
*PL NPANXX 001	NPANXX required"
*PL PRODUCTT001	PRODUCTTYPE required"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"PRE 999	Invalid permissions on tmp directory"
"PRE 999	Error creating temporary file"
"PRE 999	Error closing file: <ERRNO>"
"PS 900	PS form required when ACT is N, V, Z or C"
"PS 900	PS form required when ACT is D and EU.TCOPT is T"
"PS 900	PS form prohibited when ACT is M or T"
"PS 999	PS form is required when ACT is N, C, V or Z"
"PS BA 003	BA must be A, D, Z or N"
"PS BA 900	BA required when ACT is N, V, Z or C and BLOCK is populated"
"PS BLOCK 003	BLOCK must be A, B, C, D, E, F, G, H, K, M, N, or Q"
"PS BLOCK 003	A combination of blocking values has been selected that cannot be used together"
"PS BLOCK 003	A blocking value has been selected that must be used in combination with other blocking values"
"PS BLOCK 900	Blocking USOC <P->FEATURE[I].FEATURE> found: must use BLOCK field when requesting blocking options"
"PS CFA 900	CFA required when LSR.LST is populated and ACT is N, V, Z or C"
"PS FA 003	FA must be one of N, C, D, V, or T"
"PS FA 900	FA required for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is C/D/V."
"PS FA 900	FA required and must have a value of N for products ALSP/DLSP when ACT is D and EU.TCOPT is S or T."
"PS FA 900	FA must be empty for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is X/W/P/Y/L."
"PS FA 900	FA must be N, C, D or T for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is C."
"PS FA 900	FA must be N for products ALSP or DLSP when ACT is N, D, V, Z, or C and LNA is D and TCOPT on PS form is S or T"
"PS FA 900	FA must be N, C, V, T or D for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is V."
"PS FA 900	FA must be N for products ALSP/DLSP when ACT is D and EU.TCOPT is S/T."
"PS FEATURE 900	FEATURE required when FA is populated"
"PS FQTY 900	Feature Detail Section required when ACT is V or Z and LNA is V"
"PS LNA 900	LNA must be one of X, C, N, D, V or P"
"PS LNA 900	LNA required when ACT is N, V, Z or C"
"PS LNA 900	LNA must be D when ACT is D and transfer of calls requires a USOC (TCOPT is S or T on EU)"
"PS LNA 900	LNA must be N when ACT is N"
"PS LNA 900	LNA must be V, N or D when ACT is V or Z"
"PS LNA 900	LNA must be N, C, D, X or P when ACT is C"
"PS LNUM 003	LNUM must be numeric"
"PS LNUM 003	LNUM not in sequence"
"PS LNUM 003	LNUM cannot be 0000"
"PS LNUM 900	LNUM required when ACT is N, V, Z or C"
"PS LNUM 900	LNUM required when ACT is N, D, V, Z or C"
"PS LNUM 900	LNUM required when ACT is D and transfer of calls requires a USOC (TCOPT=S on EU)"
"PS LOCNUM 003	LOCNUM must equal 1"
"PS LOCNUM 900	LOCNUM required when ACT is N, D, V, Z or C"
"PS LPIC 003	LPIC required when ACT is N, V, or Z"
"PS LPIC 003	LPIC required when ACT is C and LNA is not C or P"

**Table 4: 10.0 IMA BPL Errors**

<b>Error Code</b>	<b>Error Message</b>
"PS LPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"PS LSCP 003	LSCP must be A or B"
"PS LSCP 900	LSCP is not allowed when ACT is <CTX->ACT>"
"PS OTN 002	OTN invalid format"
"PS OTN 900	OTN required when ACT is V, Z or C and LNA is X"
"PS PIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"PS PIC 900	PIC required when ACT is N, V or Z"
"PS PIC 900	PIC required when ACT is C and LNA is N or V"
"PS PIC 900	PIC and/or LPIC required when ACT is C and LNA is P"
"PS PQTY 003	PQTY must equal the numbers of LNUMS"
"PS PQTY 003	PQTY must match the quantity of LNUMS"
"PS PQTY 900	Service Details Section required when ACT is N, D, V, Z or C"
"PS PQTY 900	Service Details Section required when ACT is N, V, Z or C"
"PS PQTY 900	Service Details Section required when ACT is D and transfer of calls requires a USOC (TCOPT=S on EU)"
"PS PULSE 003	PULSE must be DP or DTMF"
"PS SAN 900	SAN required when ACT is N, D, V, Z or C and first char of TOS is 3"
"PS SGNL 900	SGNL required when ACT is N, V or Z"
"PS SSIG 003	SSIG must be DD, IM or WS"
"PS SSIG 003	SSIG must be LS or GS"
"PS SSIG 900	SSIG required when ACT is N, V or Z"
"PS TCID 003	TCID must be numeric"
"PS TCID 900	TCID required when ACT is V, Z or C and TCOPT is S or T"
"PS TCNAME 900	TCNAME required when ACT is V, Z or C and TCOPT is S or T"
"PS TCOPT 003	TCOPT must be N, S or T"
"PS TCMER 002	TCMER invalid format"
"PS TCMER 900	TCMER required when ACT is V, Z or C and TCOPT is S or T"
"PS TCTOPRI 002	TCTOPRI invalid format"
"PS TCTOPRI 900	TCTOPRI required when ACT is V, Z or C and TCOPT is S or T"
"PS TERS 900	TERS required when TLI is populated"
"PS TLI 900	TLI must match a TLI on the LSR"
"PS TLI 900	TLI required when TERS is populated"
"PS TNS 002	TNS invalid format"
"PS TNS 900	TNS required when ACT is N, V, Z or C"
"PS TNS 900	TNS required when ACT is D and transfer of calls requires a USOC (TCOPT=S on EU)"
"PS TNS 900	TNS cannot be a placeholder when LNA is not N or X"
"RCP 999	CSR too large for automatic recap processing - CSR may be retrieved in Pre-Order to facilitate manual recap"
"RCPACT 001	ACT required"
"RCPACT 003	The activity requested is not valid, the CSR indicates you already own this account"
"RCPAN 001	AN required"
"RCPAN 003	AN invalid format"
"RCPAN 003	An exact match CSR was not found for this AN/Custcode, return to Pre-Order and select a CSR"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"RCPCNA 001	CCNA required"
"RCPREQTYP 001	REQTYP required"
"RCPSAST 001	SAST required"
"RCPTOS 001	TOS required"
"RES 001	RESALE form required"
"RES 900	RESALE form required when ACT is N, C, T, V, L, or Z"
"RES 900	RESALE form required when ACT is D and EU.TCOPT is T"
"RES 900	RESALE form prohibited when ACT is W"
"RES 900	RESALE form required when ACT is N, C or T"
"RES 900	RESALE form required when ACT is N, C, T, V or Z"
"RES 900	RESALE form required when ACT is N, V, Z, C, T, L, or M"
"RES 900	RESALE form prohibited when ACT is W, Y or B"
"RES 900	RESALE form required when ACT is V, Z, or C"
"RES 900	RESALE form prohibited when ACT is W or Y"
"RES 900	RESALE form required when ACT is N, C, M, T, V, Z, or L"
"RES 900	RESALE form prohibited when ACT is W"
"RES 900	RESALE form required when ACT is N, C, M, T, V, L, B or Z"
"RES 999	RESALE form is required when ACT is N, C, M, T, V, L or Z"
"RFR 001	RFR form required"
"RFRBe 002	The last character of Be must be K or M"
"RFRClR 002	The last character of ClR must be K or M"
"RFRDLCl 900	DLCl is required when VCACT is C or D"
"RFRRECKT 001	ECCKT must be populated ACT is W, V, C or T"
"RFRRECKT 002	ECCKT must be between 15 and 20 characters long"
"RFRlWJQ 003	lWJQ must be numeric"
"RFRlWJQ 003	lWJQ must be between 1 and 99"
"RFRlMP 003	LMP must be 1,3,4,5 or 6"
"RFRlNEX 001	LNEX required"
"RFRlNEX 900	LNEX required when NVC is populated"
"RFRNVC 001	NVC must be populated when ACT is N"
"RFRNVC 003	NVC must be populated when nvcQty is great than 0"
"RFRNVC 003	NVC must be equal to nvcQty when populated"
"RFRNVC 999	NVC isn't allowed for ACT is <CTX->ACT>"
"RFRPSPEED 001	PSPEED must be populated when ACT is N"
"RFRRDLCI 003	RDLCI must be the same as DLCl"
"RFRRECKT 002	RECKT must be between 15 and 20 characters long"
"RFRRECKT 900	RECKT required when ACT is C"
"RFRRECKT 900	RECKT required when RPON is not populated for ACT is <CTX->ACT>"
"RFRREMARKS 900	REMARKS is required when VCACT is C"
"RFRRORD 900	RORD required when RPON is not populated for ACT is <CTX->ACT>"
"RFRRPON 900	RPON required when RECKT and RORD fields are not populated for ACT is <CTX->ACT>"
"RFRVCACT 001	VCACT must be populated when ACT is N"
"RFRVCACT 001	VCACT must be populated when NVC is populated"
"RFRVCACT 003	VCACT must be N when ACT is N"
"RFRVCACT 003	VCACT must be N,C,D or R"
"RLD 999	Address not an exact match"
"RLD 999	Query failed. Unable to complete transaction. Please try later. (FA)"
"RLD 999	No working TNs found at address"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"RLD 999	Query failed. Unable to complete transaction. Please try later. (FA)"
"RLD 999	No working TNs found at address"
"RLD 999	Address not an exact match"
"RLD 999	dbFetchSpareLoop unable to complete transaction. Please try later."
"RLD 999	No Spare loops were found at address."
"RLD 999	<TMPERRMSG>"
"RLDAFT 001	Invalid Value for AFT"
"RLDAH 900	AHN can only be populated if SASN begins with '@"
"RLDAH 900	AHN cannot be populated if SANO populated"
"RLDANH 900	AHN required when TNADDRCKTIND is A and SANO is blank"
"RLDASGNIND 003	ASGNIND must be A or U"
"RLDASGNIND 900	ASGNIND required when TNADDRCKTIND is A"
"RLDCALA 003	Invalid entry in CALA"
"RLDCCNA 001	CCNA required"
"RLDCITY 900	CITY required when TNADDRCKTIND is A"
"RLDD/SENT 001	D/SENT required"
"RLDD/SENT 001	D/SENT invalid format"
"RLDL1 003	Invalid Value for LD1"
"RLDL2 003	Invalid Value for LD2"
"RLDL3 003	Invalid Value for LD3"
"RLDSANO 900	SANO required when TNADDRCKTIND is A and AHN is blank"
"RLDSANO 900	SANO is required when SAPR or SASF is populated"
"RLDSASD 003	Invalid Value for SASD"
"RLDSASN 900	SASN required when TNADDRCKTIND is A"
"RLDSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"RLDSASS 003	Invalid Value for SASS"
"RLDSTATE 900	STATE required when TNADDRCKTIND is A"
"RLDTNADDRCK001	TNADDRCKTIND required"
"RLDTNADDRCK003	TNADDRCKTIND must be A or T"
"RLDTXACT 003	TXACT must be A"
"RLDTXNUM 001	TXNUM required"
"RLDTXTYP 003	TXTYP must be R"
"RLDWTN 002	WTN[<I>] invalid format"
"RLDWTNNUM 003	WTNNUM must be less than or equal to WTNQ"
"RLDWTNQ 003	WTNQ must be between 1 and 24"
"RLDWTNQ 900	WTNQ required when TNADDRCKTIND is T"
"RLDZIP 001	CALA or ZIP required"
"RPL 001	RPL form required"
"RPL 900	RPL form required when ACT is N, D, W, V, C, T or M"
"RPLAACTEL 002	AACTEL invalid format"
"RPLAACTEL 900	AACTEL required when ALCON is populated and ACT is N, V, C, T or M"
"RPLACTELNO 002	ACTELNO invalid format"
"RPLACTELNO 900	ACTELNO required when LCON is populated and ACT is N, V, C, T or M"
"RPLAFT 900	Invalid Value for AFT"
"RPLAHN 900	AHN is required for unnumbered addresses when ACT is N, W or V and ANV is not Y and LIT is E"
"RPLANV 003	ANV must be Y, N or blank"
"RPLANV 900	ANV not allowed for this product and activity combination"
"RPLBILLNM 900	BILLNM required when FBI is D and ACT is D, W or V"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"RPLCALA 003	Invalid entry in CALA"
"RPLCALA 900	CALA required when ZIP not provided and ACT is N, W, V, or T and LIT is E"
"RPLCALA 900	CALA required when ZIP not provided and SASN is provided and ACT is C or M and LIT is E"
"RPLCALA 900	CALA required when ZIP not provided and RSQTY is 2 and LIT is E"
"RPLCITY 900	CITY required when ACT is N, D, W, V or T and LIT is E"
"RPLCITY 900	CITY required when SASN is populated and ACT is C or M and LIT is E"
"RPLCITY 900	CITY required when ACT is N, W, V or T and LIT is E"
"RPLCITY 900	CITY required when BILLNM is populated and ACT is D, W or V"
"RPLDISCECCK900	DISCECCKT required when ACT is D"
"RPLDQTY 900	DQTY must be greater than or equal to 2 when ACT is D"
"RPLECCKT 900	ECCKT required when ACT is W, V, C, T or M"
"RPLECCKT 900	ECCKT required when ACT is D and AN not populated"
"RPLFBI 003	FBI must be E or D"
"RPLIWJK 900	IWJK required when IWJQ is populated"
"RPLIWJQ 003	IWJQ must be between 01 and 99"
"RPLIWO 003	IWO must be S, U or W"
"RPLLCN 003	Invalid characters entered: Valid are [letters, space, apostrophe, hyphen]"
"RPLLCN 900	LCON required when ACT is N, V, T or M"
"RPLLD1 001	Invalid Value for LD1"
"RPLLD2 001	Invalid Value for LD2"
"RPLLD3 001	Invalid Value for LD3"
"RPLLIT 900	LIT required when ACT is N, D or V"
"RPLLIT 900	LIT must be E"
"RPLLIT 900	LIT must be C or E"
"RPLLIT 900	LIT required when ACT is N or V"
"RPLLIT 900	LIT must be C"
"RPLLIT 900	LIT must be C or E"
"RPLLNA 900	ACT of <CTX->ACT> not allowed for this product - no further validations performed."
"RPLLNA 900	LNA required when ACT is N or V"
"RPLLNA 900	LNA must be N when ACT is N"
"RPLLNA 900	LNA must be V when ACT is V"
"RPLLNA 900	LNA must be C when ACT is C and primary location is impacted"
"RPLLNA 900	LNA must be N when ACT is T and primary location is part of outside move"
"RPLLNA 900	LNA must be C when ACT is M and primary location is impacted"
"RPLLNA 900	LNA must be N, C or D when product is PL and ACT is C and secondary location is impacted"
"RPLLNA 900	LNA must be C when ACT is M and secondary location is impacted"
"RPLLOC 900	LOCNUM required when ACT is N or V"
"RPLLOC 900	LOCNUM must be 2"
"RPLLocation900	Number of Secondary Location Service Details must equal the number of Secondary Location Sections"
"RPLLOCNUM 900	LOCNUM must be unique across each address location section"
"RPLLOCNUM 900	LOCNUM required when ACT is N, W, V, C, T or M"
"RPLLOCNUM 900	LOCNUM must be 1"
"RPLLOCNUM 900	LOCNUM required when ACT is N, W or V"
"RPLLOCNUM 900	LOCNUM must be between 2 to 10"
"RPLLOCNUM 900	LOCNUM in Secondary Location Section must have a matching LOCNUM in

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
	Secondary Location Service Details"
"RPLLOCNUM 900	LOCNUM in Secondary Location Service Details must have a matching LOCNUM in Secondary Location Section"
"RPLNAME 900	NAME required when ACT is N, D, W, V or C"
"RPLNAME 900	NAME required when ACT is N, W or V"
"RPLPRILOC 900	PRILOC required when ACT is N, W, V or D"
"RPLRLSO 900	RLSO required when ACT is N, W or V"
"RPLRLSO 900	RLSO must contain 6 numbers"
"RPLRSQTY 900	RSQTY must be between 1 and 10 when ACT is C, T, or M"
"RPLRSQTY 900	RSQTY must be between 2 and 10 when ACT is N, W or V"
"RPLRSQTY 900	RSQTY must be between 1 or 2 when ACT is C, T, or M"
"RPLRSQTY 900	RSQTY must be 2 when ACT is N, W or V"
"RPLRSQTY 900	Number of address location sections must equal the number entered in RSQTY"
"RPLSAN 900	SAN required for government requests for ACT of <CTX->ACT>"
"RPLSANO 900	SANO required when AHN is not populated and ACT is N, W or V and LIT is E"
"RPLSANO 900	SANO is required when SAPR or SASF is populated and LIT is E"
"RPLSANO 900	SANO required when AHN is not populated and ACT is N, W or V and LIT is E"
"RPLSANO 900	SANO is required when SAPR or SASF is populated and LIT is E"
"RPLSANO 900	SANO is required when SAPR or SASF is required"
"RPLSASD 001	Invalid Value for SASD"
"RPLSASN 900	SASN required when ACT is N, D, W, V, C or T and LIT is E"
"RPLSASN 900	SASN required when ACT is N, W, V or T and LIT is E"
"RPLSASN 900	SASN is required when SASD, SATH, or SASS is populated and LIT is E"
"RPLSASN 900	SASN required when BILLNM is populated and ACT is D, W or V"
"RPLSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"RPLSASS 001	Invalid Value for SASS"
"RPLSECLOC 900	SECLOC required when ACT is N, W or V"
"RPLSECLOCQT900	SECLOCQTY - Number of Secondary Location Sections can not be 0 when when ACT is N, V, or W"
"RPLSECLOCSE900	SECLOCSEVDETQTY - Number of Secondary Location Service Details Sections can not be 0 when ACT is N, V, or W"
"RPLSTATE 900	STATE required when ACT is N, W, V or T and LIT is E"
"RPLSTATE 900	STATE required when ACT is N, D, W, V or T and LIT is E"
"RPLSTATE 900	STATE required when SASN is populated and ACT is C or M and LIT is E"
"RPLSTATE 900	STATE required when BILLNM is populated and ACT is D, W or V"
"RPLTELNO 002	TELNO invalid format"
"RPLTELNO 900	TELNO required when BILLCON is populated and ACT is D, W or V"
"RPLZIP 900	ZIP required when CALA not provided and ACT is N, W, V, D or T and LIT is E"
"RPLZIP 900	ZIP required when CALA not provided and SASN is populated and ACT is C or M and LIT is E"
"RPLZIP 900	ZIP required when ACT is N, W, V or T and LIT is E"
"RPLZIP 900	ZIP required when SASN is populated and ACT is C or M and LIT is E"
"RPLZIP 900	ZIP required when BILLNM is populated and ACT is D, W or V"
"RS 999	Feature <FEATURE[FEATUREINDEX].FEATURE> requires one of the following USOCs: <ERRORMSG1> and requires one of the following USOCs: <ERRORMSG2>"
"RS 999	Can not have <FEATURE[CONFLICTINDEX].FEATURE> with one of the following: <ERRORMSG>"
"RS 999	Can not have <FEATURE[CONFLICTINDEX].FEATURE> with one of the following:

Table 4: 10.D IMA BPL Errors

Error Code	Error Message
	"
"RS 999	System Error"
"RS BA 900	BA required when BLOCK is populated"
"RS BLOCK 003	BLOCK must be one of A, B, C, D, E, F, G, H, K, M, N, or Q"
"RS BLOCK 003	A combination of blocking values has been selected that cannot be used together"
"RS BLOCK 003	A blocking value has been selected that must be used in combination with other blocking values"
"RS BLOCK 900	BLOCK required when BA is populated"
"RS BLOCK 900	Blocking USOC <P->FEATURE[I].FEATURE> found: must use BLOCK field when requesting blocking options"
"RS ECCKT 900	ECCKT required when ACT is V, Z or C"
"RS ECCKT 900	ECCKT required when ACT is V, Z, C, T or M"
"RS ECCKT 900	ECCKT required when ACT is V, Z, C, L or B"
"RS ECCKT 900	ECCKT required when ACT is T and LNA is D"
"RS ECCKT 900	ECCKT required when ACT is D and TCOPT on EU is S or T"
"RS ECCKT 999	ECCKT of (<P->ECCKT) is not supported"
"RS FA 001	FA required"
"RS FA 001	FA required when ACT is N, C or T"
"RS FA 001	FA required when ACT is N, V, Z, C or T"
"RS FA 900	Can not request multiple actions for the same USOC & FID combination unless the actions (FA) are the same: <FEATURE[FEATURE1].FEATURE> & <FEATURE[FEATURE2].FEATURE> appear more than once"
"RS FA 900	Can not request multiple actions for the same USOC & FID combination unless the actions (FA) are the same: <FEATURE[FEATURE1].FEATURE> & <FEATURE[FEATURE1].FEATUREDETAIL> appear more than once"
"RS FA 900	FA of "C" ("Change From") must be used in conjunction with FA of "T" ("Change To")"
"RS FA 900	FA must be N when LNA is N"
"RS FA 900	FA must be N, C, D or T when LNA is C"
"RS FA 900	FA must be N, C, D, V or T when LNA is V"
"RS FA 900	FA must be N when LNA is D and EU.TCOPT is S or T"
"RS FA 900	FA must be N or D when LNA is D"
"RS FA 900	FA must be N when ACT is D and any TCOPT on EU is S or T"
"RS FA 900	FA required when LNA is V"
"RS FA 900	FA required when ACT is N, C or T"
"RS FA 900	FA required when ACT is V or Z and LNA is V, N or D"
"RS FA 900	FA required when ACT is N, V, Z, C or T"
"RS FA 900	FA required when ACT is C or T"
"RS FA 900	FA required when ACT is V or Z and LNA is V, N or D"
"RS FEATURE 900	FEATURE required when FA is populated"
"RS FQTY 900	Feature Details Section required when ACT is N, C or T"
"RS FQTY 900	Feature Details Section required when ACT is N or T"
"RS FQTY 900	Feature Details Section required when ACT is R"
"RS FQTY 900	Feature Details Section required when ACT is C"
"RS FQTY 900	Feature Details Section required when ACT is V or Z and LNA is V, N or D"
"RS FQTY 900	Feature Details Section required when LNA is V"
"RS ISPID 002	ISPID 13th character must be a dash"
"RS ISPID 900	ISPID required when ACT is V, Z, C, T or M"
"RS ISPID 900	ISPID required when ACT is M"
"RS IWJQ 900	IWJQ required when IWJK is populated"

**Table 4: 10.0 IMA BPL Errors**

Error Code	Error Message
"RS LNA 900	LNA required when ACT is N, V, Z, C, T, or L"
"RS LNA 900	LNA required when ACT is N, C, T, L or B"
"RS LNA 900	LNA required when ACT is N, V, Z, C, T, L or B"
"RS LNA 900	LNA required when ACT is N, V, Z, C, T or M"
"RS LNA 900	LNA required when ACT is N, V, Z, C, or T"
"RS LNA 900	LNA required when ACT is R"
"RS LNA 900	LNA required when ACT is V, Z, C, T, L, B or M"
"RS LNA 900	LNA must be N when ACT is N"
"RS LNA 900	LNA must be D when ACT is D and TCOPT(EU) is S or T"
"RS LNA 900	LNA must be N, C, D, X, P when ACT is C"
"RS LNA 900	LNA must be N or D when ACT is T"
"RS LNA 900	LNA must be N when TCOPT on RESALE form isn't S or T"
"RS LNA 900	LNA must be R when ACT is R for LISTINGS"
"RS LNA 900	LNA of <CTX->ACT> not allowed for this product - no further validations performed."
"RS LNA 900	LNA must be W, V, N, D, or X when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N, C, D, X or P when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N or D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be D or blank when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be L or blank when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be L when ACT is <CTX->ACT>"
"RS LNA 900	LNA of <CTX->ACT> not allowed for this product - no further validations performed."
"RS LNA 900	LNA must be W, V, N or D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be Y when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be L or Y when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be Y when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be C when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be W, V, N or D when ACT is V"
"RS LNA 900	TNS cannot be BTN when LNA is N or D if ACT is Z"
"RS LNA 900	LNA must be X, W, V, N or D when ACT is V"
"RS LNA 900	LNA must be L(seasonal) or N/A(deny) when ACT is B"
"RS LNA 900	LNA must be L when ACT is L"
"RS LNA 900	LNA must be C when ACT is M"
"RS LNUM 001	LNUM required when ACT is R"
"RS LNUM 003	LNUM must be numeric"
"RS LNUM 003	LNUM not in sequence"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT>"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LPIC 003	The PIC/LPIC fields MUST contain either a four digit numericcode (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"RS LPIC 900	LPIC required when ACT is N"
"RS LPIC 900	LPIC required when ACT is V or Z"
"RS LPIC 900	LPIC required when ACT is C and LNA is not C nor P"
"RS LPIC 900	LPIC required when ACT is T"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"RS LSCP 003	LSCP must be A or B"
"RS LSCP 900	LSCP is not allowed when ACT is <CTX->ACT>"
"RS MANUALIN900	MANUANIND must be Y when NPI is populate"
"RS NIDR 003	NIDR must be Y or N"
"RS NPI 003	NPI must be A, B, C, D, or Z"
"RS OTN 002	OTN invalid format"
"RS OTN 900	OTN required when LNA is X"
"RS PIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"RS PIC 900	PIC is not allowed when PTKCON is I and TOS 2nd char is J"
"RS PIC 900	PIC and/or LPIC required when LNA is P"
"RS PIC 900	PIC required when LNA is N or V and PTKCON is blank, T or O"
"RS PIC 900	PIC required when ACT is N"
"RS PIC 900	PIC and/or LPIC required when LNA is P"
"RS PIC 900	PIC required when LNA is N or V"
"RS PIC 900	PIC required when ACT is N or T"
"RS PIC 900	PIC required when ACT is N, V, Z or T"
"RS PIC 900	PIC required when LNA is N or V"
"RS PIC 900	PIC and/or LPIC required when LNA is P"
"RS PIC 900	PIC required when LNA is V"
"RS PIC 900	PIC required when LNA is N or V and PTKCON is T or O"
"RS PRIBD 900	PRIBD required for <CTX->PRODUCT>"
"RS PRIBD 900	PRIBD must be 7 characters long"
"RS PRIBD 900	PRIBD sequence (pos 1 & 2) must be numeric"
"RS PRIBD 900	PRIBD sequence (pos 1 & 2) must be sequential beginning with 01"
"RS PRIBD 900	PRIBD B channels (pos 3 & 4) must be numeric"
"RS PRIBD 900	PRIBD B channels (pos 3 & 4) must be between 01 and 24"
"RS PRIBD 900	PRIBD D channels (pos 5 & 6) must be numeric"
"RS PRIBD 900	PRIBD D channels (pos 5 & 6) must be between 00 and 02"
"RS PRIBD 900	PRIBD NFAS ind (pos 7) must be Y or N"
"RS PTKCON 003	PTKCON must be T, I or O"
"RS PTKCON 900	PTKCON required when LNA is N or V"
"RS PTKCON 900	PTKCON required when LNA is N, V or T"
"RS PTLI 900	PTLI required when TNS is populated"
"RS REMARKS 900	REMARKS is required when NPI is populated"
"RS RSQTY 900	Service Details Section required when ACT is N, V, Z, C or T"
"RS RSQTY 900	Service Details Section required when ACT is N, C or T"
"RS RSQTY 900	Service Details Section required when ACT is R"
"RS RSQTY 900	Service Details Section required when ACT is V, Z, C, T, L or M"
"RS RSQTY 900	This field is not applicable for ACT is W"
"RS SAN 900	SAN required when TOS 1st character is 3"
"RS SDI 003	SDI must be E, F, G, H, I, J, K, L or M"
"RS SGNL 003	SGNL must be E1, E2, E3, M1, M2 or M3"
"RS SGNL 900	SGNL required when ordering Two Way Analog DID Trunks with Call Transfer and ACT is N, V, Z, C or T "
"RS SSIG 003	SSIG must be LS, GS, WS, DD or IM"
"RS SSIG 900	SSIG required when LNA is N or V"
"RS TCID 003	TCID must be numeric"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"RS TCID 900	TCID required when TCOPT is S or T"
"RS TCNAME 900	TCNAME required when TCOPT is S or T"
"RS TCOPT 003	TCOPT must be N, S or T"
"RS TCOPT 900	TCOPT prohibited when ACT is L and LNA is Y"
"RS TCPER 002	TCPER invalid format"
"RS TCPER 900	TCPER required when TCOPT is S or T"
"RS TCTOPRI 002	TCTOPRI invalid format"
"RS TCTOPRI 900	TCTOPRI required when TCOPT is S or T"
"RS TERS 900	TERS required when TLI is populated"
"RS TLI 900	TLI must match a TLI on the LSR"
"RS TLI 900	TLI required when TERS is populated"
"RS TNS 002	TNS invalid format"
"RS TNS 003	TNS cannot be a placeholder when LNA is not N or X"
"RS TNS 900	TNS required when ACT is N, V, Z, C or T"
"RS TNS 900	TNS required when ACT is N, D, V, Z, C, T or M and TLI is not populated"
"RS TNS 900	TNS required when ACT is N, V, Z, C, T, or L and TLI is not populated"
"RS TNS 900	TNS required when ACT is N, C, T or L and TLI is not populated"
"RS TNS 900	TNS required when ACT is N, D, V, Z, C, T, L or B and TLI is not populated"
"RS TNS 900	TNS required when ACT is R"
"RS TNS 900	TNS required when ACT is D and TCOPT on EU is S or T"
"RS TNS 900	TNS required when LNA is populated"
"RS TNS 900	TNS required when ACT is L or B and LNA is L"
"SA 999	PSP not allowed to request Service Availability"
"SA 999	Error processing request"
"SAQCCNA 001	CCNA required"
"SAQD/TSNT 001	D/TSNT required"
"SAQINFOTYPE003	INFOTYPE must be S or M"
"SAQLSO 001	LSO required"
"SAQLSO 003	LSO must be numeric"
"SAQSTATE 001	STATE required"
"SAQTOS 001	TOS required"
"SAQTOS 003	TOS first char must be 1, 2, 3, 4"
"SAQTXACT 003	TXACT must be A"
"SAQTXNUM 001	TXNUM required"
"SAQTXTYP 003	TXTYP must be C"
"SAS 999	SAS Communication Error"
"SASCCNA 001	CCNA required"
"SASINFOTYPE001	INFOTYPE required"
"SASNPANXX 001	NPANXX required"
"SASPRODUCTT001	PRODUCTTYPE required"
"SOE	This exchange is being sold as of <SALE_DT_PTR = DATEINTERNALDISPLAY(SALE_DT)>. Qwest can no longer accept service requests after <EMBARGO_DT_PTR = DATEINTERNALDISPLAY(EMBARGO_DT)>. Contact <PURCH_ILEC> at <CONTACT> for assistance. Thank you"
"SOE Err	This exchange (<EXCHANGE>) was sold on <SALE_DT_PTR = DATEINTERNALDISPLAY(SALE_DT)>. Contact <PURCH_ILEC> at <CONTACT> for assistance. Thank you"
"SU CCNA 001	CCNA required"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"SU INFOTYPE001	INFOTYPE required"
"SU NPANXX 001	NPANXX required"
"SU PRODUCTT001	PRODUCTTYPE required"
"TNA 999	Database not connected"
"TNA 999	No Telephone Numbers available for this query"
"TNA 999	TN Reservation System is down"
"TNA 999	Unable to Select TNs"
"TNA 999	Only partial list of Telephone Numbers available"
"TNAAFT 001	Invalid Value for AFT"
"TNAAHN 900	AHN required when SANO not populated"
"TNACALA 003	Invalid entry in CALA"
"TNACALA/ZIP001	CALA or ZIP required"
"TNACBLOCK 003	CBLOCK must be Y or Blank"
"TNACBLOCK 900	CBLOCK not allowed when NTNUM is populated or EASNUM is Y"
"TNACC 001	CC required for PSP"
"TNACCNA 001	CCNA required"
"TNACITY 001	CITY required"
"TNAD/TSENT 001	D/TSENT required"
"TNAEASNUM 003	EASNUM must be Y or Blank"
"TNAEASNUM 900	<NEARBY TELEPHONE NUMBERS (NTNUM)>"
"TNAEASNUM 900	EASNUM must be Y when ECATEG or EWORD is populated"
"TNAECATEG 003	ECATEG must be between 1 and 10"
"TNAECATEG 900	ECATEG or EWORD must be populated when EASNUM is Y"
"TNAEJUST 003	EJUST must be R or L"
"TNAEJUST 900	EJUST must be populated when EWORD is populated"
"TNAEWORD 003	Invalid characters in EWORD: Valid values are A through Y excluding Q, a through y excluding q, 0 through 9"
"TNAEASNUM 900	Nearby telephone numbers (NTNUM)"easy numbers (ECATEG), easy word consecutive blocks (CBLOCK) are mutually exclusive. Cannot request more than one of these."
"TNALD1 001	Invalid Value for LD1"
"TNALD2 001	Invalid Value for LD2"
"TNALD3 001	Invalid Value for LD3"
"TNANPA 003	NPA must be numeric"
"TNANPA 003	NPA must be 3 characters long"
"TNANPA 900	NPA required when NXX is populated"
"TNANTNUM 002	NTNUM invalid format"
"TNANXX 003	NXX must be numeric"
"TNANXX 003	NXX must be 3 characters long"
"TNAPON 001	PON required"
"TNAQNR 001	QNR required"
"TNAQNR 003	QNR must be numeric"
"TNAQNR 003	Number of TNs Requested (QNR) must be between 1 and <QNR_MAX_EASNUM> when EASNUM is Y"
"TNAQNR 003	QNR must be between 1 and <QNR_MAX>"
"TNASANO 900	SANO required when AHN not populated"
"TNASANO 900	SANO is required when SAPR or SASF is populated"
"TNASASD 001	Invalid Value for SASD"
"TNASASN 001	SASN required"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*TNASASS 001	Invalid Value for SASS"
*TNASCATEG 001	SCATEG required"
*TNASCATEG 900	SCATEG must be P, B or S when it's populated"
*TNASCATEG 900	SCATEG must be B or S for PSP"
*TNASITEID 001	SITEID required"
*TNASTATE 001	STATE required"
*TNATNTYPE 003	TNTYPE must be N"
*TNATTA 001	TTA required"
*TNATXACT 003	TXACT must be A"
*TNATXNUM 001	TXNUM required"
*TNATXTYP 003	TXTYP must be B"
*TNI 999	No Telephone Numbers found"
*TNICC 001	CC required for PSP"
*TNICCNA 001	CCNA required"
*TNID/TSENT 001	D/TSENT required"
*TNIPON 001	PON required"
*TNITXACT 003	TXACT must be I"
*TNITXNUM 001	TXNUM required"
*TNITXTYP 003	TXTYP must be B"
*TNS 999	Database not connected"
*TNS 999	Telephone Number not found (<TN>)"
*TNS 999	Telephone Number already selected (<TN>)"
*TNS 999	Telephone Number not available (<TN>)"
*TNS 999	Telephone Number not found (<TN>)"
*TNS 999	Error Selecting Telephone Number (<TN>)"
*TNSCC 001	CC required for PSP"
*TNSCCNA 001	CCNA required"
*TNSD/TSENT 001	D/TSENT required"
*TNSPON 001	PON required"
*TNSSELNUM 001	SELNUM[<I>] required"
*TNSSELNUM 002	SELNUM[<I>] invalid"
*TNSSNR 003	SNR must be between 0-9"
*TNSTXACT 003	TXACT must be E"
*TNSTXNUM 001	TXNUM required"
*TNSTXTYP 003	TXTYP must be B"
*TOS 999	Error Reading TOS data"
*UF 001	CCNA required"
*UF 001	CITY required"
*UF 001	STATE required"
*UF 999	PSP not allowed to request USOCFID validation"
*UF 999	Fetch Contract Area failed (<ERRORMESSAGE>)"
*UF 999	CPS Communication Error"
*UP 999	User Profile not found"
*USLTOS 001	TOS required"
*USLUSOCNUM 900	No USOCs found !"
*WO 003	CFA - Invalid Co-Location type or CLLI code"
*WO 003	ACTL - Invalid Co-Location type or CLLI code"
*WO 003	CHC/TEST - Installation type invalid"
*WO 003	NC/NCI invalid"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"WO 900	TN not in same Central Office"
"WO 900	UBL transfer request invalid - outside central office"
"WO 999	FEATURESSECTION too large: DSEGs exceeded DETAIL"
"WO 999	Database not connected"
"WO 999	Internal error processing order"
"WO 999	Error checking queue (<ERRORMESSAGE>)"
"WO 999	LSR is currently being processed - Supplementals prohibited"
"WO 999	Order was validated but not stored"
"WO 999	Acceptance validations not performed - outside normal hours"
"WO 999	Informational message: Order was saved (PENDING status), not submitted and will be purged in <DBCFG.LSRPENDINGDAYS> days"
"WO 999	Service request has been saved during extended hours and some required edits may not have been performed"
"WO 999	This request has been submitted during extended hours - It will be held in a queue for processing when normal hours resume"
"WO 999	Error storing order (<ERRORMESSAGE>)"
"WO 999	updatedRelatedWO: Program Error"
"WO 999	updatedRelatedWO: Error inserting indicator (<ERRORMESSAGE>)"
"WO 999	Failure processing Acceptance Edits"
"WO 999	Failure populating IMA data"
"WO 999	Error checking operating hours (<ERRORMESSAGE>)"
"WO 999	Address validation failed"
"WO 999	Records for service address contain SAG Only information. You must include information such as nearby working Qwest TN in the LSR form Remarks section. Requests for service at SAG Only addresses may not meet DDD."
"WO 999	Error fetching block combinations (<ERRORMESSAGE>)"
"WO 999	USOC RBVXC requires that Blocking value G be present."
"WO 999	USOC <FEATURESSECTION[J].FEATURE> requires that Blocking value KM be present."
"WO 999	USOC RTVXY requires that Blocking value N be present."
"WO 999	USOC <FEATURESSECTION[J].FEATURE> requires that Blocking value DEF be present."
"WO 999	USOC <FEATURESSECTION[J].FEATURE> requires that Blocking value DEF or DQ be present."
"WO 999	Error fetching rules (<BLKCOMB>) (<ERRORMESSAGE>)"
"WO 999	An invalid Blocking value and USOC combination exists"
"WO 999	No CSR record found for this request"
"WO 999	No CSR record found for ECCKT (<CSR->INTERNALECCKT>)"
"WO 999	No active account found"
"WO 999	No active account found for ECCKT (<CSR->INTERNALECCKT>)"
"WO 999	No CSR record found for this request"
"WO 999	No CSR record found for ECCKT (<CSR->INTERNALECCKT>)"
"WO 999	Ownership Error - CCNA does not match RSID or ZCID on the CSR and Account is Summary Bill Account (Account may be newly converted)"
"WO 999	Ownership Error - CCNA does not match RSID or ZCID on the CSR and Account is Summary Bill Account for ECCKT (<CSR->INTERNALECCKT>)(Account may be newly converted)"
"WO 999	Ownership Error - CCNA does not match RSID or ZCID on the CSR and Co-Provider is IPP (Account may be newly converted)"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"WO 999	Ownership Error - CCNA does not match RSID or ZCID on the CSR and Co-Provider is IPP for ECCKT (<CSR->INTERNALECCKT>) (Account may be newly converted)"
"WO 999	Ownership Error - CCNA does not match RSID or ZCID on the CSR and ACT is C (Account may be newly converted)"
"WO 999	Ownership Error - CCNA does not match RSID or ZCID on the CSR and ACT is C for ECCKT (<CSR->INTERNALECCKT>) (Account may be newly converted)"
"WO 999	Full AN not provided and no corresponding preorder attempt"
"WO 999	<CSRR->WTNECCKTERR[I].WTNECCKT> WTN not found on the account"
"WO 999	<CSRR->WTNECCKTERR[I].WTNECCKT> WTN not found in the department returned"
"WO 999	Request is not for new service - no current account exists"
"WO 999	Contract on account exists - requires new contract number"
"WO 999	Gift billing on this account - requires separate authorization"
"WO 999	Request is PIC/LPIC change -- selection already on the account."
"WO 999	Pic/Lpic edit Failed (<ERRORMESSAGE>)"
"WO 999	<LTN P->TN> not on end-user's account"
"WO 999	Invalid request. UNE-P POTS service does not exist."
"WO 999	Loop Splitting is only valid on an UBL account with an NC code of LX-N or LXR."
"WO 999	Account denied. Only restore (ACT=B) allowed"
"WO 999	Invalid TN for the End User"
"WO 999	Centrex End User TN edit Failed (<ERRORMESSAGE>)"
"WO 999	CMD validation failed"
"WO 999	Database error reading Fid Details (<ERRORMESSAGE>)"
"WO 999	CFA on LSR must match existing CFA on CSR for ECCKT (<ESDCSR->ECCKT>) for ACT=<CTX->ACT>"
"WO 999	CFA on LSR must match existing CFA on CSR for ACT=<CTX->ACT>"
"WO 999	NC/NCI/SECNCI on LSR must match existing NC/NCI/SECNCI on CSR for ECCKT (<ESDCSR->ECCKT>) for ACT=<CTX->ACT>"
"WO 999	NC/NCI/SECNCI on LSR must match existing NC/NCI/SECNCI on CSR for ACT=<CTX->ACT>"
"WO 999	The LTN on the DL form must match a CKR FID on the CSR"
"WO 999	FBDL listing already exists - must submit listing request on separate FBDL LSR"
"WO 999	Feature with FA of C must have related feature with FA of T for <TN>."
"WO 999	Feature with FA of T must have related feature with FA of C for <TN>."
"WO 999	Qwest DSL USOC not found on feature with FA of T or C for <TN>"
"WO 999	Qwest DSL USOC populated (FA of T) without MEGACENTNM for <TN>"
"WO 999	MEGACENTNM field populated without Qwest DSL USOC for <TN>"
"WO 999	More than one Qwest DSL USOC for <TN> having FA of C"
"WO 999	More than one Qwest DSL USOC for <TN> having FA of T"
"WO 999	Qwest DSL Loop Qualification information must be available for TN <TN>"
"WO 999	The TN <TN> does not qualify for Qwest DSL service."
"WO 999	Specified Qwest DSL Service exceeds maximum qualified speed for <TN>"
"WO 999	Could not check supplemental (<ERRORMESSAGE>)"
"WO 999	Could not find original Work Order ID for supplement"
"WO 999	Could not check supplemental (<ERRORMESSAGE>)"
"WO 999	Could not find original Work Order for supplement"
"WO 999	Original order COMPLETED - supplement not allowed"
"WO 999	U5R, U5RAX invalid on Request Type EB, use Request Type MB."

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"WO 999	Supplemental Field Must Be Populated"
"WO 999	Could not find original Work Order ID for supplement ()"
"WO 999	Database Error (<ERRORMESSAGE>)"
"WO 999	Unable to process cancellation supplemental: the preceding request has already been completed, canceled or rejected"
"WO 999	Database error: dbLSRPreviouslyIssued ()"
"WO 999	Database error: dbLSRhasCompletedOrders (<>)"
"WO 999	One or more Service Orders completed. Unable to process cancellation supplemental."
"WO 999	Database error: dbOrderDueDateIsNull (<>)"
"WO 999	Database error: dbEarliestOrderDueDate (<>)"
"WO 999	Can't get COS list"
"WO 999	Invalid NPA-NXX: <TMPNPA>-<TMPNXX>"
"WO 999	Invalid NPA-NXX/State combination: <TMPNPA>-<TMPNXX>/<TMPSTATE>"
"WO 999	Your desired due date is during an embargo period for the Central Office. Please select a due date on or after <FIRSTAVLDUEDATE>"
"WO 999	Could not match NPA/NXX (<ERRORMESSAGE>)"
"WO 999	Invalid NPA/NXX"
"WO 999	Could not match CLI (<ERRORMESSAGE>)"
"WO 999	Invalid CLI"
"WO 999	<EDITNAME>. Error (<ERRORMESSAGE>)"
"WO 999	At least one of the TNs reserved in Pre-Order must be entered on request before using placeholders."
"WO 999	Pre-Order TN Reservation required."
"WO 999	Time between attempt at Pre-Order TN Reservation and submission of request has expired."
"WO 999	Appointment Required - allowable time between attempt at Pre-Order Appointment Scheduler and submission of request has expired"
"WO 999	Appointment required and/or APTCON field must be populated."
"WO 999	PON mismatch: PON submitted (<PON>) does not match PON used in Pre-order TN reservation (<PREORDERPON>) for TN <TN>"
"WO 999	An easy number was specified on the request without the RNCEP USOC specified."
"WO 999	An easy word was specified on the request without the RNCSP USOC specified."
"WO 999	Error during MP Validation - <MPRORDER->INVMSG>"
"WO 999	Shared Loop already on <LSSD->LINESHARED TN>"
"WO 999	Shared Loop service does not exist on <LSSD->LINESHARED TN>"
"WO 999	Shared Loop already on <LSSD->LINESHARED TN>"
"WO 999	Co-Provider not authorized to disconnect or move Shared Loop service on <LSSD->LINESHARED TN>"
"WO 999	Co-Provider not authorized to disconnect or move Shared Loop service on <LSSD->LINESHARED TN>"
"WO 999	<LSSD->LINESHARED TN> not on end-user's account."
"WO 999	Shared Loop on <LSSD->LINESHARED TN> not available. Voice service not provided by Qwest"
"WO 999	Shared Loop Eligible edit Failed - (<ERRORMESSAGE>)"
"WO 999	Shared Loop not available for end-user"
"WO 999	Product Conversion edit Failed - (<ERRORMESSAGE>)"
"WO 999	Resale not allowed on <RESALESD->TNS>. Line is shared"
"WO 999	Resale not allowed on <LSSD->LINESHARED TN>. Line is shared"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"WO 999	Resale not allowed on <LSSD->DISCNBR>. Line is shared"
"WO 999	Resale not allowed on <TNNUMBER>. Line is shared"
"WO 999	Resale not allowed on <NPSD->PORTEDNBR>. Line is shared"
"WO 999	Resale not allowed on <LSNPSD->PORTEDNBR>. Line is shared"
"WO 999	Resale not allowed on <CRSSD->TNS>. Line is shared"
"WO 999	Resale not allowed on <PSSD->TNS>. Line is shared"
"WO 999	Resale not allowed on <TNNUMBER>. Line is shared"
"WO 999	Resale not allowed on <DRSSD->DTNR[J].DTNR>. Line is shared"
"WO 999	Resale not allowed on <DRSSD->DTNR[J].DSTN[K].DSTN>. Line is shared"
"WO 999	Can not add existing USOCs: <F->FEATURE> already on the account"
"WO 999	Can not convert or change USOC(s) not already on the account: <F->FEATURE> not on the account"
"WO 999	Invalid USOCs - problems with Validity, Resellability, State or Contract: <INVALIDUSOCLIST>"
"WO 999	Invalid USOCs - problems with Validity, Resellability, State or Contract: <INVALIDUSOCLIST>"
"WO 999	FIDs are not allowed with USOC <USOC->USOC>"
"WO 999	<USOC->FID[I].FID> is not a valid FID"
"WO 999	<NOSAVE>: REQTP of 'Q' for Centrex no longer supported. Please re-submit with a REQTP of 'P' for Centrex service requests."
"WO 999	<NOSAVE>: ACT of 'R' is only supported for REQTP of 'H'"
"WO 999	<NOSAVE>:FA must be populated"
"WO 999	<NOSAVE>:FEATURE must be populated"
"WO 999	<NOSAVE>: Number of Address Location Sections must equal the number entered in RSQTY"
"WO 999	<NOSAVE>: Number of Service Details Sections must equal the number entered in RSQTY"
"WO 999	<NOSAVE>: DQTY cannot be 0 when ACT is D"
"WO 999	<NOSAVE>: COMMONBLOCKDETAILS.COS must be populated"
"WO 999	<NOSAVE>:FA must be populated"
"WO 999	<NOSAVE>:FEATURE must be populated"
"WO 999	<NOSAVE>:FA must be populated"
"WO 999	<NOSAVE>:FEATURE must be populated"
"WO 999	<NOSAVE>: LSR.LSRADMIN.APPTIME format is invalid"
"WO 999	<NOSAVE>: LS.SERVICEDETAILS[<I>].CABLES[<J>].CABCONNTYP must be populated"
"WO 999	<NOSAVE>: LS.SERVICEDETAILS[<I>].CABLES[<J>].CABCONN must be populated"
"WO 999	<NOSAVE>: LSNP.SERVICEDETAILS[<I>].CABLES[<J>].CABCONNTYP must be populated"
"WO 999	<NOSAVE>: LSNP.SERVICEDETAILS[<I>].CABLES[<J>].CABCONN must be populated"
"WO 999	Error retrieving BAPC for LSR.BILL.BAN1 (<ERRORMESSAGE>)"
"WO 999	Error retrieving BAPC for LSR.BILL.BAN2 (<ERRORMESSAGE>)"
"WO 999	Database Error (<ERRORMESSAGE>)"
"WO 999	Screening Edit timeout"
"WO 999	Database Error (<ERRORMESSAGE>)"
"WO 999	Conversion edit Failed (<ERRORMESSAGE>)"
"WO 999	Feature NWT requires one of the following USOCs: NNK, NSD, N6S, N6S, N6SD1

**Table 4: 10.0 IMA BPL Errors**

Error Code	Error Message
	and requires one of the following USOCs: ES5, ESX, MVPCW, ES7, ER9, ES6, ESW, ESA, ET8, ESG, ET3, ETC, EZN, ES3, EZQ, EZR, EZT"
"WO 999	WLI Edit - Facility Check failed"
"WO 999	User Authorization Failed - Product not available for Access Level"
"WO 999	REQTYP of Q no longer supported re-submit request with REQTP of P"
"WO 999	Invalid product"
"WO 999	fdeDisposition: Error inserting indicator (<ERRORMESSAGE>)"
"WO 999	Failure processing Acceptance Edits"
"WO <FIELDN>002	<FIELD>: /TN fid required for this feature (<F->FEATURE>)"
"WO <FIELDN>002	<FIELD>: invalid /TN fid format"
"WO <FIELDN>900	RLSO(RPL-PriLoc) must match the local service office"
"WO <FIELDN>900	RLSO(RPL-SecLoc) must match the local service office"
"WO <FIELDN>999	<FIELD>: database retrieval of pre-order appointment failed (<ERRORMESSAGE>)"
"WO <FIELDN>999	<FIELD>: appointment expired"
"WO <FIELDN>999	<FIELD>: appointment not selected"
"WO <FIELDN>999	<FIELD>: database error updating appointment (<ERRORMESSAGE>)"
"WO <FIELDN>999	<FIELD>: database error linking appointment (<ERRORMESSAGE>)"
"WO <FIELDN>999	Pre-order Telephone Number reservations are not allowed for the <CTX->PRODUCT> product"
"WO <FIELDN>999	<FIELD>: multiple records in database"
"WO <FIELDN>999	<FIELD>: TN expired"
"WO <FIELDN>999	<FIELD>: TN not selected"
"WO ACT 003	The activity requested is not valid, the CSR indicates you already own this account"
"WO ACT 003	ACT of <CTX->ACT> not allowed for this product"
"WO ACT 003	ACT of W not allowed for this product when first character of TOS is 2."
"WO ACT 003	ACT of <CTX->ACT> not allowed for this product"
"WO ACT 003	ACT of <CTX->ACT> not allowed for this product - no further validations performed"
"WO ACT 003	ACT of <CTX->ACT> not allowed for this product"
"WO ACT 003	ACT of W not allowed for this product when first character of TOS is 2."
"WO ACT 003	ACT of <CTX->ACT> not allowed for this product"
"WO ACT 999	ACT does not match original"
"WO ACT 999	ACT of <CTX->ACT> not allowed for this product"
"WO ACT 999	ACT of <CTX->ACT> not allowed for PAL - PSPs"
"WO ACT 999	ACT of <CTX->ACT> not allowed for PAL - Co-Providers"
"WO ACT 999	ACT of <CTX->ACT> not allowed for this product"
"WO AN 900	Invalid BTN"
"WO CBID 900	Invalid Common Block for Account Number"
"WO CMSID 900	Invalid CMS ID for Account Number"
"WO COS 003	COS field on CRS form contains invalid or blank value for REQTP first character of M and TOS second character of E. Cannot determine product"
"WO COS 999	The Class of Service for the account related to ECCKT (<MULTICSR[I]->INTERNALECCKT) is not valid for UBL"
"WO COS 999	The Class of Service for this account is not valid for UBL"
"WO COS 999	Conversion to this product is not allowed with Remote Call Forwarding"
"WO COS 999	The From/To account is not Retail, Resale or <ERRORMSG>"
"WO COS 999	The From/To account is not a valid product for this conversion"
"WO CRS 001	CRS form required when REQTP starts with P. Cannot determine product"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"WO DDD 002	DDD invalid format"
"WO DL 999	DSR.DL.DeliveryAddress prohibited when sender is EDI"
"WO DSR 999	DSR.DeliveryAddress prohibited when DL.RTY is not LML or DL.LACT is O"
"WO DSR 999	DSR.DeliveryAddress prohibited when sender is WEB or BPL"
"WO editUniq999	Error fetching live LSR information (<ERRORMESSAGE>)"
"WO editUniq999	You cannot submit a Supplemental LSR for a CCNA/PON group of LSRs in a COMPLETED status."
"WO editUniq999	You cannot submit a Supplemental LSR for a CCNA/PON group of LSRs in a CANCELED status."
"WO editUniq999	Error fetching interal LSR status (<ERRORMESSAGE>)"
"WO editUniq999	Error fetching archived LSR information (<ERRORMESSAGE>)"
"WO FEATURE 900	Contract USOC required when MIL populated"
"WO FEATURE 900	Must have the current line level USOC with FA of V or T when ACT is V or Z, and LNA is V"
"WO FEATURE 900	Cannot have multiple Line Level USOCs when FA is V for one Line Level USOC"
"WO FEATURE 999	Invalid <FIDWITHOUTSLASH> FID Detail format found. Valid <FIDWITHOUTSLASH> FID Detail formats(s): <FIDFORMATS>"
"WO LSRID 999	LSRID sent <WO->LSRID> does not match PENDING LSRID <P->LSR_ID>"
"WO NPT 999	NPT - Invalid Number Portability Type for NPA/NXX"
"WO NPT 999	NPT - Unique NPA/NXX combinations must have same Number Portability Type"
"WO orderDat002	invalid ocd dd from dbEarliestOrderDueDate"
"WO PON 001	PON is required"
"WO PON 002	PON must have a minimum of three and a maximum of eleven characters"
"WO PON 002	PON's last character must be numeric"
"WO PON 003	Invalid characters in PON: Valid values are 0 through 9 and A through Z (Uppercase Only)"
"WO PORTTYP 001	PORTTYP invalid for REQTYT first character of F. Cannot determine product"
"WO PSP 999	PSPs cannot order this product - no further validations performed"
"WO REQTYT 001	REQTYT invalid - Cannot determine product"
"WO REQTYT 999	REQTYT does not match original"
"WO RPON 999	Related facility request '<LSR->ADMIN.RPON>' is not found."
"WO RPON 999	Related LSR is not PRI ISDN Facility"
"WO RPON 999	Related LSR is not UNE-P DSS Facility"
"WO RPON 999	Related LSR is not UNE-P PRI ISDN Facility"
"WO RPON 999	Related facility RPON does not match trunk PON."
"WO RPON 999	Related facility validation incomplete - submit trunk request later"
"WO RPON 999	Related facility LSR has an invalid status"
"WO RPON 999	Related facility LSR has an invalid activity"
"WO SPEC 003	SPEC field on LSR form contains invalid value for REQTYT first character of M and TOS second character of <TOS[1]>. Cannot determine product"
"WO TOS 003	TOS must be 1 or 3 when REQTYT starts with M and TOS is 1 character. Cannot determine product"
"WO TOS 999	TOS - Residential CENTREX not supported"
"WO TOS 999	TOS - Business CENTREX not supported"
"WOFCCNA 001	CCNA required"
"WOFLSRID 001	LSRID required"
"WOFLSRID 003	LSRID must be numeric"
"WOFSTATUSMA001	STATUSMASK required"
"WOFWOSQTY 999	No LSRs found"

**Table 4: 10.0 IMA BPL Errors**

Error Code	Error Message
"WOP 999	Error updating LSRID <ERRORMESSAGE> (<LSRSTATUS>)"
"WOPLSRID 001	LSRID Required"
"WOPLSRID 003	LSRID must be a number"
"WOPLSRID 999	LSRID <REQ->LSRID> not found (<ERRORMESSAGE>)"
"WOPLSRID 999	LSRID <REQ->LSRID> not PENDING status (status = <LSRSTATUS>)"

**Appendix E: Change Summary**

Document Section	From	To
Appendix A	All contents moved from Appendix C	Appendix A
Appendix C	All contents moved from Appendix A	Appendix C